

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	490591	printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 12:22
S2	45242	printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:04
S3	14335	(printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))) and (cyan and magenta and yellow) or (cmY or c,m,y)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:06
S4	636	((printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))) and (cyan and magenta and yellow) or (cmY or c,m,y)) and test adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:06
S5	32	((((printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))) and (cyan and magenta and yellow) or (cmY or c,m,y)) and test adj pattern) and photographic adj paper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:07
S6	209	((((printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))) and (cyan and magenta and yellow) or (cmY or c,m,y)) and test adj pattern) and light adj source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:07
S7	2	(((((printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))) and (cyan and magenta and yellow) or (cmY or c,m,y)) and test adj pattern) and light adj source) and density near2 measur\$4 near2 (device or apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:08
S8	3	(((((printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))) and (cyan and magenta and yellow) or (cmY or c,m,y)) and test adj pattern) and light adj source) and adjusting near2 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:08
S9	2	(((((printer and (monitor adj color or ((red or green or blue) or (r,g,b or r,b,g)))) and (cyan and magenta and yellow) or (cmY or c,m,y)) and test adj pattern) and light adj source) and (density near2 measur\$4 near2 (device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 20:12

S10	490986	printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 09:54
S11	2	"5475506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 14:25
S12	11	("4675696" "4725849" "5189521" "5276459" "5285220" "5353052" "5428380" "5430469" "5596353" "5838342" "5956052").PN.	USPAT	OR	OFF	2004/04/02 22:18
S13	1862	color adj photographic adj paper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 15:33
S14	387	(color adj photographic adj paper) and color adj2 layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 15:34
S15	169	((color adj photographic adj paper) and color adj2 layer) and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 15:34
S16	2	((((color adj photographic adj paper) and color adj2 layer) and printer) and test adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 15:36
S17	3	((color adj photographic adj paper) and color adj2 layer) and test adj pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 21:45
S18	1808	home adj position adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 21:48
S19	17328	(home adj position adj sensor) and (light adj2 reciev\$4 adj sensor) or (photo adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 21:48

S20	0	(home adj position adj sensor) and (light adj2 reciev\$4 adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 21:47
S21	17330	(light adj2 reciev\$4 adj sensor) or (photo adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 21:48
S22	15	((light adj2 reciev\$4 adj sensor) or (photo adj diode)) and home adj position adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:09
S23	0	m adj2 flourescent adj lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 22:04
S24	458	flourescent adj lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 22:05
S25	31	(flourescent adj lamp) and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 22:04
S26	0	flourescent adj lamp near5 (m or magenta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 22:05
S27	0	(flourescent adj lamp) near5 (m or magenta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 22:05
S28	11	(flourescent adj lamp) same (m or magenta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/02 22:05
S29	1	"6697167".PN.	USPAT	OR	OFF	2004/04/02 22:19
S30	1	"6320668".PN.	USPAT	OR	OFF	2004/04/02 22:21
S31	1	"4812879".PN.	USPAT	OR	OFF	2004/04/02 22:23
S32	1	"5276459".PN.	USPAT	OR	OFF	2004/04/02 22:27
S33	1	"5475506".PN.	USPAT	OR	OFF	2004/04/02 22:28

S34	1	"5521723".PN.	USPAT	OR	OFF	2004/04/02 22:30
S35	1	"5982988".PN.	USPAT	OR	OFF	2004/04/02 22:33
S36	1	"4589766".PN.	USPAT	OR	OFF	2004/04/02 22:36
S37	969	347/19.ccls.	USPAT	OR	OFF	2004/04/02 22:36
S38	0	(347/19.ccls. and (home or position) adj2 (sensor)) and (fluorescent) adj2 (lamp)	USPAT	OR	ON	2004/04/02 22:38
S39	183	347/19.ccls. and (home or position) adj2 (sensor)	USPAT	OR	ON	2004/04/02 22:45
S40	0	(347/19.ccls. and (home or position) adj2 (sensor)) and color adj photographic adj paper	USPAT	OR	ON	2004/04/02 22:45
S41	15	("4313124" "4345262" "4459600" "4463359" "4558333" "4608577" "4723129" "4740796" "5239316" "5808296" "6014159" "6027200" "6036298" "6109721" "6109722").PN.	USPAT	OR	OFF	2004/04/03 14:06
S42	2465	home adj position near2 sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:31
S43	1322	(home adj position near2 sensor) and paper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:11
S44	15344	(home adj position near2 sensor) and paper or print adj medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:10
S45	15344	(home adj position near2 sensor) and (paper) or (print adj medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:10
S46	2465	(home adj position near2 sensor) not162	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:11
S47	913	((home adj position near2 sensor) and paper) and printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:11

S48	17328	((home adj position near2 sensor) and paper) and printer) and (light near2 reciev\$4) or (photo adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:12
S49	0	((home adj position near2 sensor) and paper) and printer) and (light near2 reciev\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:12
S50	15	((home adj position near2 sensor) and paper) and printer) and (photo adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:27
S51	234	((home adj position near2 sensor) and paper) and printer) and (photo adjsensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:28
S52	44	((home adj position near2 sensor) and paper) and printer) and (photo adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 16:28
S53	2465	home adj position near2 sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:00
S54	1666	(home adj position near2 sensor) and (paper or media or medium or page\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:32
S55	572	home adj position near2 sensor same (paper or media or medium or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:00
S56	17339	(home adj position near2 sensor same (paper or media or medium or page)) and ((light near2 receiv\$4) adj sensor) or (photo adj diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:14
S57	15	(home adj position near2 sensor same (paper or media or medium or page)) and (((light near2 receiv\$4) adj sensor) or (photo adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:33

S58	0	11-141500	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:20
S59	1	"11141500"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:20
S60	0	"11/141500"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:21
S61	112481	yamaguchi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:22
S62	17	yoshihiro adj yamaguchi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:23
S63	0	yoshihiro adj yamaguchi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:24
S64	90145	yamaguchi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:23
S65	1802	(yamaguchi.in.) and yoshihiro	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:23
S66	0	yoshihiroyamaguchi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:24
S67	710180	(yoshihiro yamaguch)i.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:24

S68	2512	(home or print) adj (position) near2 (sensor)\	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:32
S69	1705	((home or print) adj (position) near2 (sensor)\) and (paper or media or medium or page\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:32
S70	61	((((home or print) adj (position) near2 (sensor)\) and (paper or media or medium or page\$2)) and (((light near2 receiv\$4) adj sensor) or (photo adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/03 17:33
S71	4	fixation adj2 fluorescent adj lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/04 13:08
S72	40825	fluorescent adj lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/04 13:09
S73	9216	(fluorescent adj lamp) and (fixation or stationary or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/04 13:08
S74	78	(m or magenta) near3 (fluorescent adj lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/04 13:09
S75	6	((((m or magenta) near3 (fluorescent adj lamp)) and (y or yellow) near3 (fluorescent adj lamp)) and (rgb or red or green or blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/04 14:31
S76	9	("4868410" "5196876" "5500700" "5585832" "5617138" "5717958" "5743663" "5784651" "5913019"). PN.	USPAT	OR	OFF	2004/04/04 13:55
S77	5	thermo adj2 autochrome adj2 method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/04 14:32

S78	12	((m or magenta) near3 (fluorescent adj lamp)) and (y or yellow) near3 (fluorescent adj lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/04 14:50
S79	0	"20030151655".URPN.	USPAT	OR	OFF	2004/04/04 14:50
S80	2	"6035103".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:26
S81	2	"6048117".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:27
S82	2	"6404511".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:28
S83	2	"6043909".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 10:28
S84	519654	printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 10:49
S85	63	printer and ((test adj pattern) with ((r, g,b) or (red and blue and green)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 10:50
S86	6	(printer and ((test adj pattern) with ((r,g,b) or (red and blue and green)))) and ((light or spectral or optical) adj (sensor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 10:57
S87	4	((((printer and ((test adj pattern) with ((r,g,b) or (red and blue and green)))) and ((light or spectral or optical) adj (sensor)))) and density) and ((cmy) or (cyan and magenta and yellow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 10:58
S88	3	"6697167".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/14 16:33

S89	2	"5339176".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/15 11:27
S90	58	((ucr) or (under adj color adj removal)) near2 (rate or percentage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 01:09
S91	6	((printer and ((test adj pattern) with ((r,g,b) or (red and blue and green)))) and ((light or spectral or optical) adj (sensor))) and density	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 01:10
S92	480916	printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/18 01:14
S93	519914	printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 01:14
S94	3555	printer and test adj pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 01:14
S95	661	(printer and test adj pattern\$1) and ((light) adj (source or unit or apparatus or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 01:15
S96	62	((printer and test adj pattern\$1) and ((light) adj (source or unit or apparatus or device))) and ((light) adj (sensor or diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 01:16
S97	29	((printer and test adj pattern\$1) and ((light) adj (source or unit or apparatus or device))) and ((light) adj (sensor or diode))) and (density same measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 01:17
S98	2	"5748221".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/18 11:28

S99	6	("4804979" "4916547" "4965597" "5160946" "5162860" "5377000"). PN.	USPAT	OR	OFF	2004/10/18 12:20
S10 0	3387	((measur\$6 or correct\$4 or adjust\$4) near6 density) near6 (pattern or target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 12:55
S10 1	1473	((((measur\$6 or correct\$4 or adjust\$4) near6 density) near6 (pattern or target)) and (print\$3 or (image adj form\$5)).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 12:56
S10 2	1965	"2" and ((reflect\$4 near4 light\$3) same (r adj g adj b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 12:56
S10 3	3387	((measur\$6 or correct\$4 or adjust\$4) near6 density) near6 (pattern or target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 12:55
S10 4	1473	((((measur\$6 or correct\$4 or adjust\$4) near6 density) near6 (pattern or target)) and (print\$3 or (image adj form\$5)).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 12:56
S10 5	22	(((((measur\$6 or correct\$4 or adjust\$4) near6 density) near6 (pattern or target)) and (print\$3 or (image adj form\$5)).ti,ab,clm.) and ((reflect\$4 near4 light\$3) same (r adj g adj b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:54
S10 6	1484	((adjust\$4 or correct\$4) same (c adj m adj y))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:54
S10 7	291	((adjust\$4 or correct\$4) same (densit\$4) near5 (c adj m adj y))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:54
S10 8	4	((adjust\$4 or correct\$4) same (densit\$4) near5 (c adj m adj y))) and (((measur\$6 or correct\$4 or adjust\$4) near6 density) near6 (pattern or target)) and (print\$3 or (image adj form\$5)).ti,ab,clm.) and ((reflect\$4 near4 light\$3) same (r adj g adj b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/28 16:55

S10 9	18578	((home adj position near2 sensor same (paper or media or medium or page)) and ((light near2 receiv\$4) adj sensor) or (photo adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:14
S11 0	0	((home adj position near2 sensor same (paper or media or medium or page)) and ((light near2 receiv\$4) adj sensor) or (photo adj diode)) and ((measur\$3 near5 densit\$4) same (cmy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:15
S11 1	0	((home adj position near2 sensor same (paper or media or medium or page)) and ((light near2 receiv\$4) adj sensor) or (photo adj diode)) and ((measur\$3 near5 densit\$4) with (cmy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:16
S11 2	5	((home adj position near2 sensor same (paper or media or medium or page)) and ((light near2 receiv\$4) adj sensor) or (photo adj diode)) and ((measur\$3 near5 densit\$4) and (cmy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:19
S11 3	523985	printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:20
S11 4	3598	printer and (test adj pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:20
S11 5	19	printer and ((test adj pattern) near8 (r adj g adj b))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:21
S11 6	676	(printer and (test adj pattern)) and ((light adj source) or (photo adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:22
S11 7	20	((printer and (test adj pattern)) and ((light adj source) or (photo adj diode))) and ((light adj receiv\$4) near2 (sensor or diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:26

S11 8	11	((((printer and (test adj pattern)) and ((light adj source) or (photo adj diode))) and ((light adj receiv\$4 near2 (sensor or diode))) and (measur\$4 near2 densit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:55
S11 9	0	((((printer and (test adj pattern)) and ((light adj source) or (photo adj diode))) and ((light adj receiv\$4 near2 (sensor or diode))) and (measur\$4 near2 densit\$4) near8 (c, m,y)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:56
S12 0	6	(measur\$4 near2 densit\$4) near8 (c, m,y)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 21:56
S12 7	2	"6271934".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:30
S12 8	2	"5481337".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 10:30